## GENLABS -- WAXIE SUPER GLOSS 930041 -- 7930-00N067613

Product ID:WAXIE SUPER GLOSS 930041 MSDS Date:04/02/1996 FSC:7930 NIIN:00N067613 MSDS Number: CFRVV === Responsible Party === Company Name: GENLABS Box:1697 City:CHINO State:CA ZIP:91708 Country:US Info Phone Num:909-591-8451 Emergency Phone Num: 800-255-3924 CAGE: IT674 === Contractor Identification === Company Name: GENLABS Address:5568 SCHAAFER AVE Box:1697 City:CHINO State:CA ZIP:92123 Country:US Phone: 800-424-9300 (CHEMTREC) CAGE: IT674 Ingred Name:ETHANOL, 2-(2-METHOXYETHOXY)-; (DIETHYLENE GLYCOL METHYL ETHER) CAS:111-77-3 RTECS #:KL6125000 Fraction by Wt: 4.50% OSHA PEL:N/K ACGIH TLV:N/K LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: BURNING IRRITATION. SKIN: SLIGHT IRRIGATION. INGESTION: MAY CAUSE NAUSEA. INHALATION: NOT EXPECTED TO BE A PROBLEM. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: SAME AS SIGNS AND SYMPTOMS OF OVEREXPOSURE. First Aid: INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) . EYES: FLUSH WITH WATER FOR AT

LEAST 15 MINUTES. IF IRRITATION PERSISTS, CALL MD. SKIN: WASH WITH SOAP AND WAT ER. IF IRRITATION PERSISTS, CALL MD. INGEST: GIVE LARGE AMOUNTS OF WATER TO DILUTE. CALL MD. Flash Point:NONE Extinguishing Media: CARBON DIOXIDE, DRY FOAM. Fire Fighting Procedures: USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE. Spill Release Procedures: SOAK UP WITH INERT, ABSORBENT MATERIAL. SCOOP UP AND PLACE IN A PROPER WASTE DISPOSAL CONTAINER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: KEEP OUT OF REACH OF CHILDREN. FOLLOW DIRECTIONS ON THE CONTAINER FOR PROPER USE OF THIS PRODUCT. Other Precautions:STORE IN A COOL, DRY PLACE, OUT OF DIRECT SUNLIGHT. DO NOT FREEZE OR HEAT ABOVE 110F. ======= Exposure Controls/Personal Protection ========== Respiratory Protection: OPEN ALL DOORS AND WINDOWS. EXPOSURES ABOVE THE TLV OR PEL REQUIRE A NIOSH APPROVED RESPIRATOR EQUIPPED FOR THE EXPOSURE OR SUITABLE NIOSH APPROVED RESPIRATORY PROTECTION PER 29 CFR 1910.134. Ventilation:LOCAL EXHAUST - IF AVAILABLE. MECHANICAL - IF AVAILABLE. Protective Gloves:RUBBER/PLASTIC GLOVES. Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES . Other Protective Equipment: ANSI APPROVED EYE WASH & DELUGE SHOWER . Work Hygienic Practices: USE COMMON SENSE AND CARE AROUND CHEMICALS. NEVER MIX CHEMICALS. CONSULT YOUR SUPERVISOR FOR OTHER PRACTICES. (SUPDAT) Supplemental Safety and Health PH: 7.5-9.5. HYGIENE PRACT: ALL PRACTICES DEPEND ON YOUR SPECIFIC BUSINESS. DIRECTIONS FOR USE ARE NORMALLY FOUND ON LABEL WHICH WILL DICTATE ENGINEERING AND CONTROL MEASURES. Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.036 VOC Pounds/Gallon:47 pH:SUPDAT Solubility in Water:DILUTABLE Appearance and Odor:MILKY WHITE; POLYMER ODOR. Stability Indicator/Materials to Avoid:YES ACIDIC MATERIALS. Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:NONE.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.